



## DGFP STOCK STATUS REPORT for Contraceptives - 31st December 2023



পরিবার পরিকল্পনা অধিদপ্তর

| Year →              | 2024  |               |   |                 |   |   |                                   |                 |   |    |    |    | 2025   |   |   |   |   |   |   |   |   |    |    |    | 2026 |   |   |   |   |   |   |   |   |    |    |    |
|---------------------|---|---------------|---|-----------------|---|---|-----------------------------------|-----------------|---|----|----|----|--|---|---|---|---|---|---|---|---|----|----|----|------|---|---|---|---|---|---|---|---|----|----|----|
| Month →             | 1   | 2             | 3 | 4               | 5 | 6 | 7                                 | 8               | 9 | 10 | 11 | 12 | 1  | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 1    | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| Min.-Max. →         | Min   |               |   |                 |   |   | Max                               |                 |   |    |    |    |  |   |   |   |   |   |   |   |   |    |    |    |      |   |   |   |   |   |   |   |   |    |    |    |
| Product ↓           | CS - 7.37m : 1.1 MOS  |               |   |                 |   |   |                                   |                 |   |    |    |    |  |   |   |   |   |   |   |   |   |    |    |    |      |   |   |   |   |   |   |   |   |    |    |    |
| <b>Condom</b>       | 1.1 MOS   | 50m (MOS:7.3) |   |                 |   |   |                                   | 82m (MOS:11.9)  |   |    |    |    |  |   |   |   |   |   |   |   |   |    |    |    |      |   |   |   |   |   |   |   |   |    |    |    |
| *AMC = 6.85m        | FY:2023-24- (Rev.) 50m  |               |   |                 |   |   | FY:2023-24- (Dev.) 82m            |                 |   |    |    |    |  |   |   |   |   |   |   |   |   |    |    |    |      |   |   |   |   |   |   |   |   |    |    |    |
|                     | CS - 34.73m : 5.7 MOS   |               |   |                 |   |   |                                   |                 |   |    |    |    |  |   |   |   |   |   |   |   |   |    |    |    |      |   |   |   |   |   |   |   |   |    |    |    |
| <b>Pill (Total)</b> | 5.7 MOS   |               |   |                 |   |   | 2.5m                              | 48.0m (MOS:7.8) |   |    |    |    |  |   |   |   |   |   |   |   |   |    |    |    |      |   |   |   |   |   |   |   |   |    |    |    |
| *AMC = 6.11m        | FY:2022-23  |               |   |                 |   |   | FY:2023-24: (Dev.) 48.0m          |                 |   |    |    |    |  |   |   |   |   |   |   |   |   |    |    |    |      |   |   |   |   |   |   |   |   |    |    |    |
|                     | CS - 2.29m : 6.6 MOS  |               |   |                 |   |   |                                   |                 |   |    |    |    |  |   |   |   |   |   |   |   |   |    |    |    |      |   |   |   |   |   |   |   |   |    |    |    |
| <b>POP-APON</b>     | 6,6 MOS (July 2024)   |               |   |                 |   |   | 2m (MOS: 5.7)                     |                 |   |    |    |    |  |   |   |   |   |   |   |   |   |    |    |    |      |   |   |   |   |   |   |   |   |    |    |    |
| *AMC = 0.349m       |   |               |   |                 |   |   | FY:2023-24- (Dev.) 2m             |                 |   |    |    |    |  |   |   |   |   |   |   |   |   |    |    |    |      |   |   |   |   |   |   |   |   |    |    |    |
|                     | CS (0.208m): 15.9 MOS   |               |   |                 |   |   |                                   |                 |   |    |    |    |  |   |   |   |   |   |   |   |   |    |    |    |      |   |   |   |   |   |   |   |   |    |    |    |
| <b>IUD</b>          | 15.9 MOS (April 2025)   |               |   |                 |   |   |                                   |                 |   |    |    |    |  |   |   |   |   |   |   |   |   |    |    |    |      |   |   |   |   |   |   |   |   |    |    |    |
| *AMC = 13,126       |   |               |   |                 |   |   |                                   |                 |   |    |    |    |  |   |   |   |   |   |   |   |   |    |    |    |      |   |   |   |   |   |   |   |   |    |    |    |
|                     | CS (3.16m): 3.3 MOS   |               |   |                 |   |   |                                   |                 |   |    |    |    |  |   |   |   |   |   |   |   |   |    |    |    |      |   |   |   |   |   |   |   |   |    |    |    |
| <b>Injectables</b>  | 3.3 MOS   |               |   | 12m (MOS: 12.4) |   |   |                                   |                 |   |    |    |    |  |   |   |   |   |   |   |   |   |    |    |    |      |   |   |   |   |   |   |   |   |    |    |    |
| *AMC = 0.967m       |   |               |   |                 |   |   | FY:2023-24 - 5m (Rev.) & 7m (Dev) |                 |   |    |    |    |  |   |   |   |   |   |   |   |   |    |    |    |      |   |   |   |   |   |   |   |   |    |    |    |
|                     | CS-(0.640m): 17.1 MOS   |               |   |                 |   |   |                                   |                 |   |    |    |    |  |   |   |   |   |   |   |   |   |    |    |    |      |   |   |   |   |   |   |   |   |    |    |    |
| <b>Implant</b>      | 17.1 MOS (May 2025)   |               |   |                 |   |   |                                   |                 |   |    |    |    |  |   |   |   |   |   |   |   |   |    |    |    |      |   |   |   |   |   |   |   |   |    |    |    |
| *AMC = 37,334       |   |               |   |                 |   |   |                                   |                 |   |    |    |    |  |   |   |   |   |   |   |   |   |    |    |    |      |   |   |   |   |   |   |   |   |    |    |    |
|                     | Pill (Total): 2nd & 3rd generation Shukhi   |               |   |                 |   |   |                                   |                 |   |    |    |    |  |   |   |   |   |   |   |   |   |    |    |    |      |   |   |   |   |   |   |   |   |    |    |    |
|                     | *AMC is calculated based on past 6-months consumption   |               |   |                 |   |   |                                   |                 |   |    |    |    |  |   |   |   |   |   |   |   |   |    |    |    |      |   |   |   |   |   |   |   |   |    |    |    |
|                     | Data Sources: DGFP/L&S unit, DGFP LMIS web site - <a href="https://scmpbd.org/">https://scmpbd.org/</a> |               |   |                 |   |   |                                   |                 |   |    |    |    |  |   |   |   |   |   |   |   |   |    |    |    |      |   |   |   |   |   |   |   |   |    |    |    |
|                     | Central Warehouse WIMS data and Approved DGFP Procurement Plan  |               |   |                 |   |   |                                   |                 |   |    |    |    |  |   |   |   |   |   |   |   |   |    |    |    |      |   |   |   |   |   |   |   |   |    |    |    |
|                     | National min-max stock level is 6 & 10 MOS  |               |   |                 |   |   |                                   |                 |   |    |    |    |  |   |   |   |   |   |   |   |   |    |    |    |      |   |   |   |   |   |   |   |   |    |    |    |
|                     | AMC = Average Monthly Consumption   |               |   |                 |   |   |                                   |                 |   |    |    |    |  |   |   |   |   |   |   |   |   |    |    |    |      |   |   |   |   |   |   |   |   |    |    |    |
|                     |   |               |   |                 |   |   |                                   |                 |   |    |    |    | <b>Legend:</b><br><div style="display: flex; flex-direction: column; gap: 5px;"> <div style="display: flex; align-items: center;"><span style="width: 15px; height: 15px; background-color: red; margin-right: 5px;"></span> Current Stock (CS): Less than 3 MOS</div> <div style="display: flex; align-items: center;"><span style="width: 15px; height: 15px; background-color: yellow; margin-right: 5px;"></span> Current Stock (CS): MOS 3.0 to Less than 6 MOS</div> <div style="display: flex; align-items: center;"><span style="width: 15px; height: 15px; background-color: green; margin-right: 5px;"></span> Current Stock (CS): MOS 6 and above</div> <div style="display: flex; align-items: center;"><span style="width: 15px; height: 15px; background-color: blue; margin-right: 5px;"></span> Planned for FY 2023-24</div> <div style="display: flex; align-items: center;"><span style="width: 15px; height: 15px; background-color: orange; margin-right: 5px;"></span> Procurement completed, yet to be received</div> <div style="display: flex; align-items: center;"><span style="width: 15px; height: 15px; background-color: purple; margin-right: 5px;"></span> Donation</div> </div> |   |   |   |   |   |   |   |   |    |    |    |      |   |   |   |   |   |   |   |   |    |    |    |

**DGFP STOCK STATUS NOTES**  
**(For Contraceptives)**  
**Month: December 2023**

**CONDOM** – Current national stock is 7.37 million pieces, and this stock can be used up to January 2024.

- **FY 2023-24: (Revenue)** – Requirement of 50 million pieces' condom has been found from User Line Director (FP-FSD). Evaluation completed & approval of tender is under progress.
- **FY 2023-24: (GOB-Dev.) & RPA (GOB)** – Procurement plan of 77 million pieces' condom has been approved and procurement is under progress.

**PILL (Shukhi)** – Current national stock of Oral Contraceptive Pill is 34.73 million cycles which will go up to June 2024.

- **FY 2022-23: RPA (GOB) & GOB (Dev)**- Supplier delivered 36.50 million Cycle Oral Pill as of December 2023. Rest 2.50 will be delivered in December and onward.
- **FY 2023-24: (Revenue)** – Requirement of 5 million cycles of Oral Pill (Shukhi-3<sup>rd</sup> Generation) been found from User Line Director (FP-FSD). Procurement is under progress.
- **FY 2023-24: (GOB-Dev.) & RPA (GOB)** – Procurement plan of 48 million cycles of Oral Pill (Shukhi-3<sup>rd</sup> Generation) has been approved. IFT published. Opening of tender will be held on 01.02.2024.

**POP-APON** - Current national stock of POP-APON Pill is 2.29 million cycles which will go up to July 2024.

- **FY 2023-24** –*No requirement is available from User Unit (FP-FSD) for procurement of POP-APON.*

**IUD** – Current national stock is 0.208 million pcs. and this stock can be used up to April 2025.

**INJECTABLES** – Current stock of 3.16 million vials and that is supposed to be used up to March 2024. (Though the bar is showing that the injectable stock will run till March 2024 but, after January 2024 there will be no usable injectable in stock).

- **FY 2023-24: (Revenue)** – Requirement of 5 million vials of injectable has been approved and procurement process started. Evaluation completed & approval of tender is under progress.
- **FY 2023-24: (GOB-Dev.) & RPA (GOB)** – Procurement plan of 11 million vials of injectable has been approved and procurement is under progress.

**IMPLANT** – Current stock is 0.640 million sets, and this can be used up to May 2025.